



# CruiserKhana 2009

23<sup>rd</sup> - 24<sup>th</sup> May 2009

ENTRY APPLICATION  
(ONE PER VEHICLE)

Name.....

Address.....

.....Postcode.....

Telephone..... Email address.....

## ENTRY FEES

		total number persons	
FAMILY – 2 Adults (2 competitors) Including up to 3 children Under 14. Please add \$15 per extra child under 14.	\$150	[ ]	\$
FAMILY – 2 Adults (1 competitor) Including up to 3 Children Under 14. Please add \$15 per extra child under 14.	\$120	[ ]	\$
2 ADULTS (2 competitors) No Children	\$125	[ ]	\$
2 ADULTS (1 competitor) No Children	\$95	[ ]	\$
1 ADULT (1 competitors) No Children	\$70	[ ]	\$
Spectators and Children 14 and over	\$35	[ ]	\$
Day Spectators ( <b>No Meal Included</b> )	\$10	[ ]	\$
Polo Shirt	\$ 40		\$
	<b>TOTAL PAID</b>		\$

CAMPING DETAILS :

**NOTE : ONE ENTRY IS ENTITLED TO ONE CAMP SITE AND ONE CAR PARK SPACE ONLY.**

DUE TO LIMITED PARKING, EXCESS VEHICLES AND TRAILERS WILL BE REQUIRED TO PARK ELSEWHERE AS DIRECTED.

No. of TENT(s) .....Size.....TRAILER No.....Size.....

CARAVAN Size.....

Estimated Time of Arrival: FRIDAY.....SATURDAY.....

**GATES OPEN NOON FRIDAY, CLOSE FRIDAY NIGHT APPROX. MIDNIGHT, RE-OPEN 6AM SATURDAY.**

## PAYMENT DETAILS

Make cheques payable to – TOYOTA LANDCRUISER CLUB OF AUST. (VIC).

VISA/BANKCARD/MASTERCARD

Card No. \_\_\_\_\_ Expiry Date \_\_ / \_\_

Card in name of \_\_\_\_\_ Signature \_\_\_\_\_

**PLEASE CAREFULLY READ AND THEN COMPLETE THE DRIVER APPLICATION AND INDEMNITY FORMS ON THE BACK OF THIS PAGE AND FORWARD TO:**

Toyota Landcruiser Club of Aust. (VIC)  
Unit 1/18 Barter Cres FOREST HILL. VIC. 3131

**ENTRIES CLOSE 24<sup>th</sup> APRIL, 2009 or WHEN MAXIMUM ENTRY NUMBERS ARE REACHED**

**STRICTLY NO PETS ALLOWED ON CLUB PROPERTY**

# DRIVER APPLICATION

DRIVER NO. 1..... STANDARD [ ] TOURING [ ]  
DRIVER NO.2..... [ ] [ ]  
VEHICLE REGO..... MAKE.....COLOUR.....  
TYRE SIZE..... 4WD CLUB (IF APPLICABLE).....

**\*\*\*\*\* PLEASE REFER TO NEW RULES AND VEHICLE CLASSES \*\*\*\*\***

**A VEHICLE CAN BE ENTERED IN ONLY ONE CLASS**

## INDEMNITY - NON MEMBER

In consideration of the Toyota Landcruiser Club of Australia (Victoria) incorporated A-0005442C ("the club") accepting my application to participate in Cruiserkhana 2009 organised activities or functions of the Club.

I do hereby indemnify the club and its officers, members, servants and/or agents from against any damages or loss which may befall on or occur to me or to my property, or to my spouse or, children, or to my guests and visitors as listed below, or their property, as a consequence of or arising directly or indirectly from my or their participation in or attendance at Cruiserkhana 2009 the Club's activities or functions. I also indemnify the club, its officers, members, servants and/or agents against any claim, action, proceeding or demand made or prosecuted against any of them by any person or persons in respect of such damages or loss and against all costs, damages and expenses which may be incurred in defending or settling any such claim, action, proceeding or demand.

I further authorise any officers, members, or servants of the Club in the event of any injury or illness befalling me or my family whilst I am participating in any way in any Club activity or function to obtain any medical assistance or treatment they may deem necessary or expedient and for the purpose to engage any doctors, para medics, nursing assistants, hospital accommodation or transport of any kind and I do hereby indemnify the Club from or against any medical or other expenses so incurred and will pay such expenses to the Club on demand.

PLEASE PRINT, BELOW, THE FULL NAME(S) OF ALL GUESTS & VISITORS ACCOMPANYING YOU AT CRUISERKHANA: **(camping and dinner will not be available for extra party members not detailed on this form)**

DATED this.....day of.....(200 )

Signature(s) .....

Names of Applicant(s) .....

Names of Guest(s) .....

.....

.....

**ENTRIES CLOSE 24<sup>th</sup> APRIL, 2009 or WHEN MAXIMUM ENTRY NUMBERS ARE REACHED**

# **GENERAL NOTES**

## **Rules of the Event**

**All competitors should read all rules accompanying this application form. Any vehicles not complying with these rules will not be allowed to compete.**

**No correspondence will be entered into with respect to competition decisions and all decisions reside with the organising committee.**

## **Refund Policy**

No refund of Entrance Fees will be given if :

- 1) Cancellation is received within 10 days of the event.
- 2) A vehicle does not comply with the Rules of the Event

## **Vehicle Movements approaching and within the property**

All vehicles travelling along Rennies Lane, being the dirt road leading up to the property MUST NOT exceed 40 KMs PER HOUR in the interests of our neighbours around the property

Speed limits within the property are 20 kms per hour.

Any passengers travelling in vehicles around the property must be correctly contained within the vehicle. Any vehicles such as utilities etc carrying passengers in the rear of the vehicle will be disqualified from the event immediately.

If the vehicle concerned is not competing but is a spectator visiting the event, the driver and passengers will be asked once to comply with proper road rules. If they fail to agree with the request, they will be escorted from the property and will not be allowed to bring the vehicle back onto the property.

## **Open fires on the property**

No open fires will be allowed unless specific approval is given by the organising committee.

## **Lights Out**

It is requested that all competitors and visitors respect other peoples rights regarding the level of noise and music whilst on the property.

It is requested all loud activities be ceased by 10.30 pm

## **Cruiserkhana 2009**

### **TOYOTA LANDCRUISER CLUB of AUSTRALIA (Vic) Inc.**

#### **Rules Adopted from CCDA Rules of Competition**

#### **4.2 STANDARD CLASS**

##### **4.2.1 TYRES**

*Tyre sizes shall be limited to those originally specified by the vehicle manufacturer.*

*Tyres shall be enclosed within the width of mudguards and flares*

##### **4.2.2 WHEELS**

*Wheels shall be limited to the same size and offset as those originally specified by the vehicle manufacturer for the vehicle. Bead locks shall not be permitted. Wheel spacers shall not be permitted.*

##### **4.2.3 AXLES**

*Axle housings shall be original but may be protected. Axle internal components shall be original and extension breathers may be fitted.*

##### **4.2.4 BRAKES**

*The original braking system shall be retained unmodified except for the composition of the brake pads/linings. The handbrake shall be as originally fitted and shall be operational.*

##### **4.2.5 DIFFERENTIALS**

*The original differential system shall be retained unmodified.*

*Differential ratios shall not be changed.*

*Should differential locks be fitted to the vehicle as original equipment the vehicle shall not be eligible to compete in this class but may be eligible to compete in any class above this vehicle class.*

##### **4.2.6 GEARBOX**

*The original gearbox shall be retained unmodified.*

##### **4.2.7 TRANSFER CASE**

*The original transfer case system shall be retained unmodified. Transfer case ratios shall be those available for that vehicle model and year. The transfer case and differentials shall be operative and capable of driving all four wheels.*

##### **4.2.8 STEERING**

*Original steering boxes shall be retained in their original location and shall be unmodified.*

*Original steering linkages and components shall be retained unmodified but may have protection fitted to them.*

##### **4.2.9 SUSPENSION**

*Shock absorbers and bushes shall be retained unmodified (except for normal service replacement with non-genuine parts) and the original number and location shall be retained.*

*[TLCV Addendum](#) - The original spring design shall be retained unmodified except for the allowance of no more than 50mm spring lift. Original suspension linkages/pins shall be retained unmodified.*

##### **4.2.10 ENGINE**

*The original engine shall be retained unmodified.*

*Snorkels and aftermarket air filters are free. Oil filters are free except the original method of attachment shall be retained.*

##### **4.2.11 ELECTRICAL**

*Alternators shall be retained unmodified. Headlight inserts and globes are free. Tail lights, stop lights and reversing lights shall be retained unmodified.*

##### **4.2.12 EXHAUST SYSTEMS**

*The original exhaust system shall be retained unmodified except for normal service replacement with non-genuine parts.*

##### **4.2.13 CHASSIS**

*The original chassis shall be retained unmodified. Protection plates may be added for protection but not for strengthening purposes.*

##### **4.2.14 BODY**

*The original body shall be retained unmodified except that additional mud flaps, door sills and flares may be added for protection.*

##### **4.2.15 LIGHTS**

*Vehicles may be fitted with up to four driving lights in addition to the original headlights and driving lights. Driving lights shall be mounted at the front of the vehicle and shall operate with the high/low beam switch in conjunction with the headlights and shall be fitted in accordance with relevant registration requirements. It is strongly recommended that a dust lamp be fitted to the rear of the vehicle.*

##### **4.2.16 FUEL**

*The original fuel system shall be retained.*

##### **4.2.17 WINCHES**

*TLCV Addendum - All vehicles must be fitted with one (and only one) operational powered winch when competing in an event where winching is required. Winching will not be required in any TLC events. Electric winches may have some additional bracing, improved bearings, improved lubrication and an alternative DC motor with upgraded controls, but must remain in its original configuration. PTO and Hydraulic winches they must be as designed by the supplier.*

## **4.3 TOURING CLASS**

### **4.3.1 TYRES**

*Tyre sizes shall be limited to 33x12.5 or metric equivalent and must pass through a gauge with internal dimensions of 840mm and 320mm at 20psi or 1.4bar. Track increase shall be limited to 50mm. Tyres shall be enclosed within the width of mudguards and flares*

### **4.3.2 WHEELS**

*Wheels shall be limited to a rim width of 203mm (8") and any offset shall be such that the tyre shall be enclosed within the width of mudguards and flares. Bead locks shall not be permitted. Wheel spacers shall not be permitted.*

### **4.3.3 AXLES**

*Axle housings shall be original but may be protected. Axle internal components shall be original and extension breathers may be fitted.*

### **4.3.4 BRAKES**

*The original braking system shall be retained unmodified except for the composition of the brake pads/linings. The handbrake shall be as originally fitted and shall be operational.*

### **4.3.5 DIFFERENTIALS**

*The original differential system shall be retained unmodified except that differential locks may be fitted. Differential ratios are free.*

### **4.3.6 GEARBOX**

*The original gearbox shall be retained unmodified.*

### **4.3.7 TRANSFER CASE**

*The original transfer case system shall be retained unmodified. Transfer case ratios shall be those available for that vehicle make. The transfer case and differentials shall be operative and capable of driving all four wheels.*

### **4.3.8 STEERING**

*Original steering boxes shall be retained in the original location and shall be unmodified.*

*Original steering linkages and components shall be retained unmodified but may have protection fitted to them.*

### **4.3.9 SUSPENSION**

*Selection of shock absorbers and bushes is free except that the original number and location shall be retained.*

*TLCV Addendum - The original spring design shall be retained except that components may be modified or replaced with aftermarket units. A maximum of 50mm spring lift will be allowed.*

*Original suspension linkage or pin configuration, length and positioning shall be retained but may be strengthened.*

### **4.3.10 ENGINE**

*The original engine shall be retained unmodified except that alternative engine management systems, and in the case of diesel engines an aftermarket turbocharger, supercharger and intercooler, may be fitted.*

*Snorkels and aftermarket air filters are free.*

*Oil filters are free except the original method of attachment shall be retained.*

### **4.3.11 ELECTRICAL**

*Original alternators shall be retained unmodified. Headlight inserts and globes are free. Tail lights, stop lights and reversing lights shall be as originally fitted.*

### **4.3.12 EXHAUST SYSTEMS**

*The exhaust system is free.*

### **4.3.13 CHASSIS**

*The original chassis shall be retained unmodified. Strengthening with the additional bracing is permitted. Spring and shock absorber mountings may be strengthened. Protection plates may be added for strengthening and protection purposes.*

### **4.3.14 BODY**

*The original body shall be retained unmodified except that additional mud flaps, door sills and flares may be added for protection.*

### **4.3.15 LIGHTS**

*Vehicles may be fitted with up to four driving lights in addition to the original headlights and driving lights.*

*Driving lights shall be mounted at the front of the vehicle and shall operate with the high/low beam switch in conjunction with the headlights and shall be fitted in accordance with relevant registration requirements. It is strongly recommended that a dust lamp be fitted to the rear of the vehicle.*

#### **4.3.16 FUEL**

*The original fuel system shall be retained. Alternative fuel such as LPG may be fitted in accordance with State and National Regulations.*

#### **4.3.17 WINCHES**

*TLCV Addendum - All vehicles must be fitted with one (and only one) operational powered winch when competing in an event where winching is required. [Winching will not be required in any TLCC events](#) .*

*Electric winches may have some additional bracing, improved bearings, improved lubrication and an alternative DC motor with upgraded controls, but must remain in its original configuration.*

*PTO and Hydraulic winches they must be as designed by the supplier.*